



DESIGN CHECKMATES

SAFETY SIGNS

INNOVATION STARTS HERE



**“YOU ARE THE KEY
TO YOUR SAFETY”**

**PREVENT INJURY & ENSURE
STAFF SAFETY**

Without Safety Signs, many employees would lack the necessary direction in times of crisis and employers may find themselves in significant legal difficulties if any accidents were to arise as a result.



DESIGN CHECKMATES

SAFETY SIGNS

DESCRIPTION	PAGE NUMBER
Mandatory Signs	04
Prohibition Signs	05
Warning Signs	05
Danger Signs	09
Emergency Signs	11
Exit & Evacuation Signs	11
Building Site Signs	14
Kitchen & food safety sign	16
Warehouse Signs	17
Forklift Safety Signs	18
Battery Charging Signs	18
Machinery And Operational Signs	18
Security Signs	19
Notice Signs	19
Restricted Area Signs	20
Housekeeping Signs	20
Safety Awareness Signs	21
Traffic Signs	21
Office Signs	23
Hospital/Nursing Home Signs	24
Park Signs	24
Directional signs	25



No. 18, 3rd main 1st cross Puttenahalli main road
ashtalakshmi layout j.p.nagar 6th phase bangalore - 560078



+91-9164866204



designcheckmates@gmail.com



<https://designcheckmates.wixsite.com/mahesh>



THE IMPORTANCE OF SAFETY SIGNS

Safety Signs are crucial in any work environment. The primary importance of displaying Safety Signs is to prevent injury and ensure staff and visitors are well aware of the possible dangers and hazards ahead in certain situations and/or environments. Without signs, many employees would lack the necessary direction in times of crisis, and employers might find themselves in significant legal difficulties if any accidents were to arise as a result.

By ensuring the workplace is sufficiently well signed, you can help protect your staff and visitors to the site, particularly members of the public, against the possible dangers that may be unnoticed - leading to less industrial accidents and reduced risk to employees and passerby's.

At Design Checkmates we have the widest range of legends for you to choose from to ensure you can create a safe, well identified facility. Our range of Safety Signs are designed to meet Indian Standard which outlines specific parameters for safety signs in an occupational environment.

This standard sets out the requirements for the design and use of safety signs intended for use in the occupational environment. These signs are designed to regulate and control safety related behaviour, to warn of hazards and to provide emergency information including fire protection information.

CHOOSING SIGNS TO SUIT YOUR APPLICATION



MANDATORY SIGNS

These signs specify an instruction that must be carried out. Symbols (or "pictograms") are depicted in white on a blue circular background. Sign wording, if necessary, is in black lettering on a white background.



PROHIBITION SIGNS

These signs that specify behaviour or actions which are not permitted. The annulus and slash is depicted in red over the action symbol in black. Sign wording, if necessary, is in black lettering on a white background.



WARNING SIGNS

These signs warn of hazards or a hazardous condition that is not likely to be life-threatening. The hazard symbol is black on a yellow background and a triangle is depicted around the hazard symbol. Sign wording, if necessary, is in black lettering on a yellow background.



DANGER SIGNS

These signs provide warning when a hazard or a hazardous condition is likely to be life-threatening. The word "Danger" is featured inside a red oval inside a black rectangle.



EMERGENCY INFORMATION SIGNS

These signs indicate the location of, or directions to emergency related facilities (exits, first aid, safety equipment, etc). Feature a white symbol and/or text on a green background.



FIRE SIGNS

Advise the location of fire alarms and fire fighting equipment. They contain a white symbol and/or text on a red background.



GENERAL INFORMATION SIGNS

These signs are not referred in Indian standards, however are available due to popular demand. They communicate information of a general nature and often refer to Housekeeping, Company Practices and Logistics.

VIEWING DISTANCE GUIDE


Signs should be large enough to view without straining the eyes when communicating safety messages to employees and/or visitors. Therefore, choosing the size of a sign is more than fitting it to the space you have available.

Pictogram size is to be at least 15mm per metre of viewing distance

Text size:

- Upper case: 5mm per metre of viewing distance
- Lower case: 4mm per metre of viewing distance

For our Safety Signs, please use the below diagram as a guide.



Note: Signs in poor lighting conditions - that are not likely to fall readily into the observer's line of sight - will need to increase the size by 50%.



MANDATORY SIGNS



SAFETY SIGNS

MANDATORY SIGNS- LANDSCAPE





STOCK MULTIPLE CONDITION SIGNS

 **NO UNAUTHORISED ACCESS**

 **ALL VISITORS MUST REPORT TO SITE OFFICE**

 **SAFETY HELMETS MUST BE WORN IN THIS AREA**

 **SAFETY FOOTWEAR MUST BE WORN IN THIS AREA**

 **NO UNAUTHORISED ACCESS**

 **ALL VISITORS MUST REPORT TO SITE OFFICE**

 **HI-VIS VEST MUST BE WORN IN THIS AREA**

 **SAFETY FOOTWEAR MUST BE WORN IN THIS AREA**

+ SITE SAFETY 

 **ALL VISITORS & DRIVERS MUST REPORT TO SITE OFFICE**

 **AUTHORIZED PERSONNEL ONLY**

 **HI-VISIBILITY CLOTHING MUST BE WORN**

 **SAFETY HELMETS MUST BE WORN**

 **SAFETY FOOTWEAR MUST BE WORN**

 **ALL PERSONNEL MUST BE SITE INDUCTED**

 **24hr SITE CONTACT:** **PH NO:**

IN CASE OF EMERGENCY CALL ON YOUR MOBILE PHONE A POLICE
REPORT AND CONTACT

**THIS PROTECTIVE EQUIPMENT
MUST BE WORN
ON THIS SITE**

**THIS PROTECTIVE EQUIPMENT
MUST BE WORN
IN THIS AREA**

MANDATORY PICTOGRAMS



PROHIBITION PICTOGRAMS






PROHIBITION SIGNS

SAFETY SIGNS





PROHIBITION SIGNS - NO SMOKING/FLAMMABLE



PROHIBITION SIGNS - GENERAL NO SMOKING



WARNING SIGNS





WARNING SIGNS

SAFETY SIGNS







WARNING SIGNS



WARNING SIGNS - LANDSCAPE



DANGER SIGNS





DANGER SIGNS

SAFETY SIGNS





DANGER SIGNS



EMERGENCY INFORMATION SIGNS




SAFETY SIGNS

EMERGENCY INFORMATION SIGNS



FIRE EQUIPMENT SIGNS





FIRE EQUIPMENT SIGNS



EXTINGUISHER I.D NEW ZEALAND



MULTI MESSAGE SIGNS




MULTIPLE WARNING SIGNS



MULTIPLE WARNING SIGNS



EXIT AND EVACUATION SIGNS



SAFETY SIGNS



IMPORTANT COMPLIANCE INFORMATION


Exit Signs - The emergency information signs are required to indicate the location of, or direction to, emergency related facilities such as exits. Our exit signs are ideal to help direct people to the nearest exit in emergency situations. Available either in Standard signs white on green.

BUILDING SITE SIGNS





BUILDING SITE SIGNS



SAFETY SIGNS



BUILDING SITE SIGNS



CONDITION OF ENTRY SIGNS




KITCHEN AND FOOD SAFETY SIGNS






KITCHEN AND FOOD SAFETY SIGNS



WAREHOUSE/LOADING DOCK SIGNS




SAFETY SIGNS



 AISLE MUST BE KEPT CLEAR	 BLIND INTERSECTION SOUND HORN	 DRIVE SLOWLY	 HI VISIBILITY CLOTHING OR VEST MUST BE WORN	 REPORT VEHICLE DEFECTS IMMEDIATELY	 STACK CORRECTLY	 FORKLIFT SPEED LIMIT
 DO NOT TRAVEL WITH RAISED LOAD	 FORKLIFT LANE NO PEDESTRIANS	 NO FORKLIFTS	 NO FORKLIFTS BEYOND THIS POINT	 PEDESTRIANS SAFETY ZONE FORKLIFTS OPERATING AREA	 PEDESTRIAN SAFETY ZONE FORKLIFTS PROHIBITED	 RIDING ON FORKS IS STRICTLY PROHIBITED
 BACK IN SLOWLY	 BEWARE REAR END SWING	 FORKLIFTS IN USE	 FORKLIFTS KEEP TO WALKING PACE WATCH OUT FOR PEDESTRIANS	 FORKLIFT PARKING AREA KEEP CLEAR	 FORKLIFT PARKING • ENGAGE PARKING BRAKE • FORKS LOWERED TO FLOOR • MAST UPRIGHT; 90° ANGLE TO FLOOR • FORKS MUST NOT EXTEND INTO AISLE OR WALKWAY	 PEDESTRIANS KEEP TO MARKED WALKWAY
 ONLY LICENSED PERSONNEL TO DRIVE THIS FORKlift NO PASSENGERS ALLOWED	 DANGER FORKLIFT OPERATING AREA	 DANGER LOOK OUT FORK LIFT TRUCKS	 SAFETY FIRST BEFORE FORKlift OPERATION CHECK: • FLUID LEVELS • BRAKES & TYRES • SAFETY DEVICES • CONTROLS REPORT ANY DEFECTS IMMEDIATELY	 SAFETY FIRST KNOW YOUR LOAD WEIGHT BEFORE LIFTING COMMERCIAL VEHICLE • 1,000 METRE OF GEAR 1 - 1.5 TONNES • 1,000 METRE OF GEAR 2 - 2.5 TONNES • 1,000 METRE OF GEAR 3 - 3.5 TONNES • 1,000 METRE OF GEAR 4 - 4.5 TONNES • 1,000 METRE OF GEAR 5 - 5.5 TONNES • 1,000 METRE OF GEAR 6 - 6.5 TONNES • 1,000 METRE OF GEAR 7 - 7.5 TONNES • 1,000 METRE OF GEAR 8 - 8.5 TONNES • 1,000 METRE OF GEAR 9 - 9.5 TONNES • 1,000 METRE OF GEAR 10 - 10.5 TONNES IF IN DOUBT - CHECK IT OUT!	 STOP SOUND HORN PROCEED SLOWLY	 WATCH OUT FORKLIFT OPERATING AREA

 BATTERIES BEING CHARGED	 CORROSIVE	 DANGER BATTERY CHARGING AREA	 CORROSIVE	 HAND PROTECTION MUST BE WORN	 RISK OF EXPLOSION	 FACESHIELD MUST BE WORN AT ALL TIMES	 DANGER BATTERY CHARGING STATION	 NO SMOKING OR NAKED FLAMES
		 DANGER BATTERIES CHARGING	 NO SMOKING		 DANGER BATTERIES CHARGING	 CHARGE MUST BE SHUT OFF BEFORE CONNECTING OR DISCONNECTING		

 ALL CYLINDERS MUST BE CHAINED	 MUST REMAIN LOCKED	 EAR PROTECTION MUST BE WORN WHEN OPERATING THIS EQUIPMENT	 EYE PROTECTION MUST BE WORN WHEN OPERATING THIS EQUIPMENT	 DO NOT OPERATE	 BEWARE OF MOVING PARTS	 BURIED CABLE
 CONVEYOR MAY START WITHOUT WARNING	 DO NOT OIL OR CLEAN MACHINERY WHILE IN MOTION	 DO NOT OPERATE THIS MACHINE WITHOUT GUARDS IN PLACE	 HAND HAZARD DE-ENERGISE BEFORE REACHING IN	 HOT SURFACE	 KEEP CLEAR OF MOVING MACHINERY	 KEEP HANDS CLEAR




MACHINERY AND OPERATIONAL SIGNS




SURVEILLANCE CAMERA SIGNS



SECURITY SIGNS



NOTICE SIGNS






NOTICE SIGNS



RESTRICTED AREA SIGNS




HOUSEKEEPING SIGNS





HOUSEKEEPING SIGNS



SAFETY AWARENESS SIGNS



TRAFFIC AND PARKING SIGNS





TRAFFIC AND PARKING SIGNS



TRAFFIC SIGNS - DIRECTIONAL





TRAFFIC SIGNS - SPEED LIMIT



TRAFFIC SIGNS - SITE SAFETY




OFFICE SIGNS





HOSPITAL/NURSING HOME SIGNS



MOBILE PHONE SIGNS



PARK SIGNS





PARK SIGNS



GARDEN AND LAWN SIGNS

PRESIDENT

SECRETARY

COMMITTEE

MEMBER

STAFF

CUSTOMER

KEEP CLEAR

CAR PARK

ENTRANCE

EXIT

RESERVED

NO PARKING

VISITOR

TENANT



DOCTORS ONLY

PLEASE DO NOT PARK ON THE GRASS

PLEASE KEEP OFF THE GRASS

G.U.R.
GROUND UNDER REPAIR


PLEASE KEEP OFF THE GARDEN

PLEASE USE THE PATH



PLEASE RAKE THE SAND

PLEASE CLOSE THE GATE

ELECTRIC FENCE



DIRECTIONAL SIGNS



SAFETY SIGNS